


3M

Automotive Adhesives and Sealants



3M™ Ultrapro™ Silicone Gasket
Black (PN 08700)



Designed to be used as a gasket material for valve covers, oil pans and other engine and transmission applications.

- Flexible at -20°F to 600°F
- Oxygen sensor safe
- Low Odor/Non-Corrosive
- Oil Resistant
- Meets OEM Volatility Specifications

3M™ Super Silicone Sealant
Black (PN 08705)



- Oxygen sensor safe
- Low Odor
- General Purpose Sealant

3M™ Gasket Sealant #2
Non-Hardening (PN 08721)



- Non-Hardening Sealant Formula
- Stays Flexible -65°F to 400°F
- Seals Gaskets Flanges and Joints
- Resists Most Automotive Fluids

3M™ Ultrapro™ Silicone Gasket
Blue (PN 08701)



Designed to be used as a gasket material for valve covers, oil pans and other engine and transmission applications.

- Flexible at -20°F to 600°F
- Oxygen sensor safe
- Low Odor/Non-Corrosive
- Oil Resistant
- Meets OEM Volatility Specifications

3M™ Super Silicone Sealant
Clear (PN 08706)



- Oxygen sensor safe
- Low Odor
- General Purpose Sealant

3M™ Anaerobic Gasket Maker
(PN 08722)



- Gasket Maker and Dressing
- Remains Flexible and Resists Shrinking
- For Sealing Aluminum, Iron and Steel Flanged Surfaces

3M™ Ultrapro™ Silicone Gasket
Red (PN 08702)



Designed to be used as a gasket material for valve covers, oil pans and other engine and transmission applications.

- Flexible at -20°F to 600°F
- Oxygen sensor safe
- Low Odor/Non-Corrosive
- Oil Resistant
- Meets OEM Volatility Specifications

3M™ Super Silicone Sealant
Blue (PN 08707)



- Oxygen sensor safe
- Low Odor
- General Purpose Sealant

3M™ High Strength Threadlocker-
Red (PN 08730)



- Keeps Threaded Fasteners from Loosening
- Heavy-Duty 3/8" and larger, Professional Formula
- Extreme Temperature Resistance up to 300°F
- Heat Required for Disassembly

3M™ Ultrapro™ Silicone Gasket
Copper (PN 08703)



Designed to be used as a gasket material for valve covers, oil pans and other engine and transmission applications.

- Flexible at -20°F to 600°F
- Oxygen sensor safe
- Low Odor/Non-Corrosive
- Oil Resistant
- Meets OEM Volatility Specifications

3M™ Gasket Removal Disc
(PN 08710)



- Quickly Removes Gasket Residue
- Conditions Gasketing Surface
- Safer Than Wire Brush or Scraper

3M™ Medium Strength
Threadlocker-Blue (PN 08731)



- Keeps Threaded Fasteners from Loosening
- General Purpose Applications
- Extreme Temperature Resistance up to 300°F
- Ideal for 1/4" to 1" Fasteners

3M™ Ultrapro™ Silicone Gasket
Grey (PN 08704)



Designed to be used as a gasket material for valve covers, oil pans and other engine and transmission applications.

- Flexible at -20°F to 600°F
- Oxygen sensor safe
- Low Odor/Non-Corrosive
- Oil Resistant
- Meets OEM Volatility Specifications

3M™ Gasket Sealant #1
Hardening (PN 08720)



- Hardening Adhesive Formula
- For Permanent Applications
- Seals Gaskets, Flanges and Joints
- Resists Most Automotive Fluids

3M™ High Strength Sleeve
Retainer Adhesive (PN 08732)



- Secures Studs, Pins and Assemblies to 400°F
- Restores Worn Out-of-Tolerance Assemblies
- Prevents Surface Corrosion

3M™ Pipe Sealant with Teflon®
(PN 08740)



- Seals Threaded Fittings
- Prevents leakage
- Protects Against Corrosion
- Repositionable for 48 hours

3M™ Metal Repair Putty
(PN 08760)



- Quick-Cure Formula
- Can be Drilled, Sanded and Filed
- Bonds Steel, Aluminum, Plastic and more
- Withstands 300°F Intermittent

3M™ Disc Brake Quiet
(PN 08771)



- Helps to Prevent Brake Squeal
- Protects Against Corrosion

3M™ Super Glue
(PN 08750)



- Professional Strength Formula
- Permanent bond in seconds
- Bonds Metal, Rubber, Plastic and more

3M™ Cold Weld Bonding Compound
(PN 08761)



- Sets-up in 15 Minutes
- Can be Drilled, Tapped and Machined
- Works on Aluminum, Bronze, Iron, Steel, Brass and more
- Withstands 300°F Intermittent

3M™ Anti-Seize Lubricant
(PN 08772)



- Lubricates and Prevents Corrosion
- High Temperature Formula
- Prevents Seizing of Spark Plugs, Cylinder Head and Exhaust Bolts

3M™ Super Glue Gel
(PN 08751)



- Professional Strength Formula
- No-run Gel- Stays in Place
- Permanent Bond in Seconds
- Bonds Metal, Rubber, Plastic and more

3M™ Quick Fix Epoxy Pouches
(PN 08762)



- Sets in 5 Minutes
- No Mess- Easy to Use Packs
- General Purpose Adhesive
- Bonds Wood, Rubber, Plastic, Glass and more

3M™ Rear View Mirror Adhesive
(PN 08752)



- Permanently Bonds Mirror Bracket to Windshield
- Professional Strength

3M™ Quick Fix Epoxy Syringe
(PN 08763)



- Easy-to-use Syringe
- Tough, Permanent and Waterproof
- Sets in Minutes
- Bonds Wood, Rubber, Plastic, Glass and more

3M™ Super Weatherstrip & Gasket Adhesive
(PN 08753)



- Bonds to Metal, Cork, Rubber and more
- Waterproof and Flexible
- Professional Strength Formula

3M™ Dielectric Tune-up Grease
(PN 08770)



- Protects Electrical Connections
- Protects Against Spark Plug Boot Damage
- Protects Wiring from Salt, Dirt and Corrosion



3M™ Mechanical Adhesive & Sealant Assortment (PN 08699)

Designed to maximize turnover, this assortment provides a complete line of 3M™ Automotive Adhesives and Sealants (27 part numbers) in a comprehensive pegboardable merchandising kit. The assortment includes: 66 carded products, a set of reorder tags, a header card, two hanging side panels, a counter mat, a hanging literature pocket and 50 full-line customer brochures.


<u>PART #</u>	<u>QTY.</u>	<u>UNIT</u>	<u>DESCRIPTION</u>
08700	3	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Black)
08701	4	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Blue)
08702	3	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Red)
08703	3	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Copper)
08704	3	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Grey)
08705	2	TUBE	3M™ Super Silicone Sealant(Black)
08706	2	TUBE	3M™ Super Silicone Sealant(Clear)
08707	4	TUBE	3M™ Super Silicone Sealant (Blue)
08710	2	KIT	3M™ Gasket Removal Disc
08720	2	TUBE	3M™ Gasket Sealant #1 Hardening
08721	2	TUBE	3M™ Gasket Sealant #2 Non-Hardening
08722	2	TUBE	3M™ Anaerobic Gasket Maker
08730	3	BOTTLE	3M™ High-Strength Threadlocker (Red)
08731	3	BOTTLE	3M™ Medium-Strength Threadlocker(Blue)
08732	2	BOTTLE	3M™ High-Strength Sleeve Retainer Adhesive
08740	2	TUBE	3M™ Pipe Sealant with Teflon®
08750	3	TUBE	3M™ Super Glue
08751	3	TUBE	3M™ Super Glue Gel
08752	2	TUBE	3M™ Rearview Mirror Adhesive
08753	2	TUBE	3M™ Super Weatherstrip&Gasket Adhesive
08760	2	EACH	3M™ Metal Repair Putty
08761	2	EACH	3M™ Cold Weld Bonding Compound
08762	2	EACH	3M™ Quick Fix Epoxy Pouches
08763	2	EACH	3M™ Quick Fix Epoxy Syringe
08770	2	TUBE	3M™ Dielectric Tune-Up Grease
08771	2	TUBE	3M™ Disc Brake Quiet
08772	2	TUBE	3M™ Anti-Seize Lubricant
-----	1		3M™ Automotive Adhesive & Sealants Header
-----	2		3M™ Automotive Adhesive & Sealants Side Panel
-----	1		3M™ Automotive Adhesive & Sealants Counter Mat
-----	50		3M™ Automotive Adhesive & Sealants Brochure
-----	1 pack		3M™ Automotive Adhesive & Sealants Reorder Cards

Ordering Information

PART #	QTY.	SIZE	UNIT	DESCRIPTION
08700	12	3 oz.	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Black)
08701	12	3 oz.	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Blue)
08702	12	3 oz.	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Red)
08703	12	3 oz.	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Copper)
08704	12	3 oz.	TUBE	3M™ ULTRAPRO™ Silicone Gasket (Gray)
08705	12	3 oz.	TUBE	3M™ Super Silicone Sealant(Black)
08706	12	3 oz.	TUBE	3M™ Super Silicone Sealant(Clear)
08707	12	3 oz.	TUBE	3M™ Super Silicone Sealant (Blue)
08710	12	-----	KIT	3M™ Gasket Removal Disc
08720	12	1.5 oz.	TUBE	3M™ Gasket Sealant #1 Hardening
08721	12	1.5 oz.	TUBE	3M™ Gasket Sealant #2 Non-Hardening
08722	12	.2 oz.	TUBE	3M™ Anaerobic Gasket Maker
08730	12	.34 oz.	BOTTLE	3M™ High-Strength Threadlocker (Red)
08731	12	.34 oz.	BOTTLE	3M™ Medium-Strength Threadlocker(Blue)
08732	12	.34 oz.	BOTTLE	3M™ High-Strength Sleeve Retainer Adhesive
08740	12	.2 oz.	TUBE	3M™ Pipe Sealant with Teflon®
08750	12	.07 oz.	TUBE	3M™ Super Glue
08751	12	.07 oz.	TUBE	3M™ Super Glue Gel
08752	12	.02 oz.	TUBE	3M™ Rearview Mirror Adhesive
08753	12	2 oz.	TUBE	3M™ Super Weatherstrip&Gasket Adhesive
08760	12	1 oz.	EACH	3M™ Metal Repair Putty
08761	12	2 - 1 oz.	EACH	3M™ Cold Weld Bonding Compound
08762	12	4 - 4 gram	EACH	3M™ Quick Fix Epoxy Pouches
08763	2	1 oz.	EACH	3M™ Quick Fix Epoxy Syringe
08770	12	1 oz.	TUBE	3M™ Dielectric Tune-Up Grease
08771	12	2 - .25 oz.	TUBE	3M™ Disc Brake Quiet
08772	12	1 oz.	TUBE	3M™ Anti-Seize Lubricant



Automotive Aftermarket Division
 3M Center, Building 223-6N-01
 St. Paul, MN 55144-1000

 **Recycled Paper**
 40% - Pre-consumer
 10% - Post-consumer

Litho in U.S.A. with 3M offset,
 plates, film and proofing systems.

© 3M 1998 60-4400-6717-5